



# FEED1

FLUIDS EXCLUSIVELY  
ENTERAL FROM DAY 1

HYLIFAU MAETH O DDIWRNOD 1

**WE ARE TRYING TO FIND THE  
BEST WAY TO FEED BABIES  
BORN BETWEEN 30-33 WEEKS.**

**RYDYM YN CEISIO DOD O HYD I'R Ffordd  
ORAU O FWYDO BABANOD A GAIFF EU  
GENI RHWNG 30 A 33 WYTHNOS.**

Are you expecting to give birth between **30-33 weeks**?  
If **'YES'**, you may be able to help us with the **FEED1** trial.

Ydych chi'n disgwyl rhoi genedigaeth rhwng **30 a 33 wythnos**?  
Os **YDYCH**, yna efallai y byddwch yn gallu ein helpu gyda threial **FEED1**.

Please speak with a member of staff to find out more.  
Siaradwch gydag aelod o staff am fwy o wybodaeth.



The University of  
**Nottingham**

**NIHR** | National Institute  
for Health Research

**NOTTINGHAM  
CLINICAL  
TRIALS  
UNIT**

This study/project is funded by the National Institute for Health Research (NIHR) Health Technology Assessment (HTA) programme (project reference 17/9431).  
The views expressed are those of the authors and not necessarily those of the NIHR or the Department of Health and Social Care.  
Cyllidir yr astudiaeth/prosiect gan raglen Asesiad Technoleg Iechyd (HTA) y Sefydliad Cenedlaethol ar gyfer Ymchwil Iechyd (NIHR) (cyfeirnod y prosiect yw 17/9431).  
Mynegir barn yr awduron ac nid barn y NIHR na'r Adran Gofal Cymdeithasol a Iechyd o reidrwydd.

FEED1\_Advertising\_Poster\_Final\_Version\_1.0\_02\_Jul\_2019